

UNMATCHED ENGINE PROTECTION YOU CAN COUNT ON



PETROL | DIESEL | GEAR | MARINE | GREASE | CAR CARE | MOTORCYCLE |
HYDRAULICS | BREAK AND CLUTCH FLUID | ATF | ENGINE | COOLANTS

ABOUT US

SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. L.L.C Dubai, United Arab Emirates (The Entity) registered on July, 2011 as Limited Liability Company (LLC) and operates in the United Arab Emirates under a trade License issued by the Department of Economics Development of the Government of Dubai.


The Entity is licensed by Department of Economic Development of the Government of Dubai for general trading mainly dealing in OIL, Lubricants and Car Care Items. The Registered office is located at Shop no.1, Silver Island Building, 38C Street, Naif, Deira, Dubai, United Arab Emirates since July 2011. We have warehouse at Sajja Sharjah. The management and control are vested with **Mr. Samer Hussein Al Gaddah**, Chairman of Board of Directors.

We are proud to have qualified and dedicated staff that provides us latest insights of the market and about latest technological and product development in the market. We follow International Financial Reporting Standards at corporate level and incorporate latest development in reporting standards by IASB. We are audited every Financial Year by the approved Auditors in Dubai

SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. L.L.C is one of the leading trading companies in Dubai engaged in Import-Export, Retail and Wholesale of imported Car Care Lubricants, Industrial Lubricants and Engine Oil. Our friendly teams of sales consultants listen to the needs of our customers and are committed to helping you to find your perfect needs.

Trust the professionals at **SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. L.L.C** to provide you with all of your automotive lubricants, and other oil lubricants. We have registered brands in the market named Euro Gulf, Az Lubricants, Venol, Maxwelle, Mega Rich, V8 German Lubricants, V Motor Oil, Ammasco, Super International and Ophel (Automotive Lubricants). We also deal in famous brands to capture the market share and keeping the customers satisfy. We can proudly assert to have captured a good percentage of the market in United Arab Emirates.

We have dedicated sales team to help customers to provide the best quality products and services and contribute towards the growth of the company.



OUR BUSSINESS

Our main vision is to grow as a major player in global lubricants industry and penetrating new markets through qualified distributors.

We pride ourselves in providing our customers with premium services together with technologically advanced products which enable us to be succesfull and more competitive in global lubricants industry.



LUBRICANTS / OIL

Samer Al Gaddah has its own brand called EUROGULF And V8 german lubricants and other brands under its name which provides a wide variety of lubricants, including Passenger Car Oil, Diesel Engine Oil, Hydraulic Oil and much more.



GREASE

Our greases are premium quality, high temperature service lithium complex products for bearing applications. These greases are highly recommended for the lubrication of electric motors.



BRAKE FLUIDS

EUROGULF brake fluids formulated for high performance hydraulic brakes, automotive disc, drums, anti-slip brake systems and clutch systems.



AUTOMATIC TRANSMISSION FLUID

Our greases are premium quality, high temperature service lithium complex products for bearing applications. These greases are highly recommended for the lubrication of electric motors.



OUR VISION

Our main vision is to grow as a major player in global lubricants industry and penetrating new markets through qualified distributors.

We pride ourselves in providing our customers with premium services together with technologically advanced products which enable us to be successful and more competitive in global lubricants industry.



ISO CERTIFIED COMPANY

SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. L.L.C implements an unified management system according to ISO9001 international standards. The management system is certified by International organisation for standardization.

OUR KEY STRENGTHS IN TERMS OF QUALITY, ENVIRONMENTAL AND HEALTH & SAFETY MANAGEMENT ARE:

- ♦ Computer based automated production
- ♦ State of the art blending and monitoring equipment
- ♦ In-house laboratory for quality control
- ♦ Qualified and Experienced personnel
- ♦ Delivery flexibility
- ♦ Full compliance with international environmental legislation
- ♦ Best working conditions and workplace health and safety

By Applying strict quality acceptance criteria, sometimes stricter than those required by international legislation, **SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. L.L.C** can fulfill every customer need with high quality products that withstand even the toughest operating conditions.

We closely follow up the rapid technological developments, by re-designing and upgrading our products in order to cover any latest quality, performance or environmental requirement.



MOTOR OIL

EUROGULF SYNTECH SAE-0W16 | API-SP

Euro Gulf Syntech OW16 is fully-synthetic and has been developed for all Gasoline engines and all Diesel engines with or without turbo for use on light passenger and commercial vehicles without particulate filters. OW16 can be used for all journey types it is especially suitable for the most demanding service conditions. It is suited to every driving style, especially sporty and high-speed. OW16 has been specially designed to meet manufacturers' requirements with regard to greater intervals between oil changes.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF ULTRA PRO SAE-0W20 | API-SN PLUS

Euro Gulf Ultra Pro OW20 is fully-synthetic and has been developed for all Gasoline engines and all Diesel engines with or without turbo for use on light passenger and commercial vehicles without particulate filters. OW20 can be used for all journey types it is especially suitable for the most demanding service conditions. It is suited to every driving style, especially sporty and high-speed. OW20 has been specially designed to meet manufacturers' requirements with regard to greater intervals between oil changes.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF CHARGER SAE-0W30 | API-SN PLUS

Euro Gulf Super Charger OW30 is fully-synthetic and has been developed for all Gasoline engines and all Diesel engines with or without turbo for use on light passenger and commercial vehicles without particulate filters. OW30 can be used on all journey types it is especially suitable for the most demanding service conditions. It is suited to every driving style, especially sporty and high-speed. OW30 has been specially designed to meet manufacturers' requirements with regard to greater intervals between oil changes.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF ENERGY SAE-0W40 | API-SN PLUS

Euro Gulf Energy OW40 is fully-synthetic and has been developed for all Gasoline engines and all Diesel engines with or without turbo for use on light passenger and commercial vehicles without particulate filters. OW40 can be used for all journey types it is especially suitable for the most demanding service conditions. It is suited to every driving style, especially sporty and high-speed. OW40 has been specially designed to meet manufacturers' requirements with regard to greater intervals between oil changes.

1, 4, 5, 20, 25, 60, 208 LITERS





MOTOR OIL

EUROGULF ACTIVE SAE-5W20 | API-SN

Euro Gulf Energy 5W20 is fully-synthetic and has been developed for all Gasoline engines and all Diesel engines with or without turbo for use on light passenger and commercial vehicles without particulate filters. 5W20 can be used for all journey types it is especially suitable for the most demanding service conditions. It is suited to every driving style, especially sporty and high-speed. 5W20 has been specially designed to meet manufacturers' requirements with regard to greater intervals between oil changes.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF PLATINUM SAE-5W30 | API-SN

Euro Gulf Platinum 5W30 is fully-synthetic and has been developed for all PETROL engines (multi-valve, turbocharger, with or without catalysts) for use on light passenger and commercial vehicles without particulate filters. 5W30 can be used for all journey types and is especially suitable for the most demanding service conditions. It is suited to every driving style, especially sporty and high-speed. 5W30 has been specially designed to meet manufacturers' requirements with regard to greater intervals between

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF PLATINUM SAE-5W40 | API-SN

Euro Gulf Ultra Pro 5W40 is fully-synthetic and has been developed for all Gasoline engines and all Diesel engines with or without turbo for use on light passenger and commercial vehicles without particulate filters. 5W40 can be used for all journey types it is especially suitable for the most demanding service conditions. It is suited to every driving style, especially sporty and high-speed. 5W40 has been specially designed to meet manufacturers' requirements with regard to greater intervals between oil changes.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF TITANIUM SAE-10W30 | API-SN

Euro Gulf 10W-30 is semi-synthetic and a synthetic technology high-performance lubricant particularly suitable for use in on-road diesel heavy-duty applications. With its "low-SAPS" technology, 10W-30 protects the latest generation of diesel engines equipped with any kind of post-treatment systems, such as diesel particulate filters (DPFs). 10W-30 is especially adapted to most manufacturers Euro 6 engines and previous engine models, requiring long oil drain intervals, such as DAF (MX engines).

1, 4, 5, 20, 25, 60, 208 LITERS





MOTOR OIL

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF ULTRA LIFE SAE-10W40 | API SN

Euro Gulf Ultra Life 10W-40 is semi-synthetic and has been developed to cover the requirements of both gasoline and diesel engines (passenger cars and light vans). 10W-40 is perfectly suited for turbo-charged and multi-valved engines. 10W-40 is perfectly suited to normal driving conditions. 10W-40 is perfectly adapted to vehicles equipped with catalysts and using unleaded fuel or liquefied petroleum gas. Also adapted to Diesel and bio-diesel.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF SUPERIOR SAE-20W50 | API SN

Euro Gulf SUPERIOR 20W50 motor oil is suited to all gasoline engines. Every condition of use (City, Road, Motorway). Passenger cars and/or light duty vehicles where manufacturers recommend use of multigrade engine oils conforming to API SL/CF.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF MOTOR OIL

— FORMULA FOR SUCCESS —





DIESEL OILS

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF ECO 10000 SAE-10W40 | API SN/CF

Euro Gulf Diesel Engine Oil Eco 10W-40 is semi-synthetic and high performance diesel engine oil engineered to provide outstanding lubrication to modern, high performance diesel engines used in severe on and off-highway applications. These base oils are enhanced with an advanced additive system, which provides a high level of protection to all parts of the engine.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF TURBO 8000 SAE-15W40 | API CI-4

Euro Gulf Turbo 8000 diesel engine oil 15W40 is semi-synthetic and especially formulated to provide outstanding protection to modern, high performance diesel engines used in the toughest on and off-highway applications. Particularly designed using top quality, highly refined base oil together with advance-technology additives to provide reliable performance in the latest emission designs, including those with EGR systems, as well as satisfying the needs of older engines.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF IMPERIAL SAE-20W40 | API CH-4

Euro Gulf IMPERIAL 20W40 is high performance diesel engine oil that provides proven engine protection of diesel engines operating in severe service applications. Euro Gulf 20W40 engine oil is recommended by Euro Gulf for use in a wide range of heavy-duty applications and operating environments found in the trucking, construction, and agricultural industries.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF IMPERIAL SAE-20W50 | API CH-4

Euro Gulf IMPERIAL 20W50 is high performance diesel engine oil that provides proven engine protection of diesel engines operating in severe service applications. Euro Gulf 20W50 engine oil is recommended by Euro Gulf for use in a wide range of heavy-duty applications and operating environments found in the trucking, construction, and agricultural industries.

1, 4, 5, 20, 25, 60, 208 LITERS



DIESEL OILS



HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF GIGAMAX SAE-25W50 | API CI-4

Euro Gulf GIGAMAX 25W50 diesel engine oil is especially formulated to provide outstanding protection to modern, high performance diesel engines used in the toughest on and off-highway applications. Particularly designed using top quality, highly refined base oil together with advance-technology additives to provide reliable performance in the latest emission designs, including those with EGR systems, as well as satisfying the needs of older engines.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF ULTIMAX SAE-25W60 | API CI-4

Euro Gulf ULTIMAX 25W60 is a Special multi-season, highly alloyed mineral engine oil with the addition of hydrosynthetics for modern, heavy duty and high-speed diesel engines with and without turbocharging, operating in extremely difficult conditions (including, at high ambient temperatures) and for engines with high mileage. The oil complies with the Global Specification GLOBAL-DHD-1, which takes into account all the requirements of European, American and Japanese manufacturers for heavy diesel engines manufactured since 1998, operating in the most difficult conditions with increased mileage between oil changes that comply with current standards for

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF SUPER 8000 SAE-40 | API CF

Euro Gulf SUPER 8000 SAE 40 is developed for Diesel engines. Every conditions of use (city, highway, mountain, rough road). Designed for particular cars and/or utility vehicles before the year 1994 with a high mileage. Miscible with other lubricants.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF SUPER 8000 SAE-50 | API CF

Euro Gulf SUPER 8000 SAE-50 diesel engine oil is a mineral mono grade engine oil for diesel engines with and without turbocharging, and is also suitable for commercial vehicle engines and vans under light loads which require this grade of oil. Designed to minimize friction and wear, the formulation ensures year round high lubricity throughout all operating conditions. Extended oil drain capability where recommended by the vehicle manufacturer.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF



DIESEL OIL



ABSOLUT ENGINE ENDURANCE IN EVERY CONDITION

MOTORCYCLE OILS

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF 4T-10W30

Euro gulf premium performance, shear-stable, mineral multigrade motorcycle engine oil specifically designed to use in four-stroke motorcycles and portable power equipment requiring API SL JASO MA2 lubricants, including high output engines operating in server service.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF 4T-10W40

Euro gulf premium performance, shear-stable, mineral multigrade motorcycle engine oil specifically designed to use in four-stroke motorcycles and portable power equipment requiring API SL JASO MA2 lubricants, including high output engines operating in server service.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF 2T-10W40

Euro Gulf premium performance, shear-stable, multigrade motorcycle engine oil specifically designed to use in four-stroke motorcycles and portable power equipment requiring TC-W, JASO MA2 lubricants, including high output engines operating in severe service.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF 4T-20W50

Euro gulf premium performance, shear-stable, mineral multigrade motorcycle engine oil specifically designed to use in four-stroke motorcycles and portable power equipment requiring API SL JASO MA2 lubricants, including high output engines operating in server service.

1, 4, 5, 20, 25, 60, 208 LITERS





MOTORCYCLE OILS

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF 2T-TCW30

Euro Gulf premium performance, shear-stable, multigrade motorcycle engine oil specifically designed to use in four-stroke motorcycles and portable power equipment requiring TC-W, JASO MA2 lubricants, including high output engines operating in severe service.



1, 4, 5, 20, 25, 60, 208 LITERS



**PROTECTION
WHEREVER
YOU GO**



**EUROGULF OIL
MOTOR CYCLE**



ATF OILS

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF

CVTF (CONTINUOUS VARIABLE TRANSMISSION FLUID)

Euro Gulf automatic transmission fluid TYPE-2 provide outstanding resistance to oil breakdown and deposits. Improve overall transmission durability and cleanliness. Automatic and power shift transmission and torque converters of passenger cars, light commercial vehicles and industrial vehicles.

5 LITERS



EUROGULF

ATF DEX-IV

Euro Gulf automatic transmissions in passenger cars and light trucks for which former dexron fluids are specified - recommended for automatic transmissions in heavy-duty vehicles, on and off - highway. power steering units (where for mer dexrob or mercon fluids are specified). user benefits. maximises life of transmissions. improved thermal stability, oxidation resistance and sludge control. smooth gear shifting and torque transfer Formulated in France. Made in Turkey.

1 LITERS



EUROGULF

ATF DEX-IIID

Euro Gulf automatic transmissions in passenger cars and light trucks for which former dexron fluids are specified - recommended for automatic transmissions in heavy-duty vehicles, on and off - highway. power steering units (where for mer dexrob or mercon fluids are specified). user benefits. maximises life of transmissions. improved thermal stability, oxidation resistance and sludge control. smooth gear shifting and torque transfer Formulated in France. Made in Turkey.

1 LITERS



EUROGULF

ATF DEX-III

Euro Gulf automatic transmissions in passenger cars and light trucks for which former dexron fluids are specified - recommended for automatic transmissions in heavy-duty vehicles, on and off - highway. power steering units (where for mer dexrob or mercon fluids are specified). user benefits. maximises life of transmissions. improved thermal stability, oxidation resistance and sludge control. smooth gear shifting and torque transfer Formulated in France. Made in Turkey.

1 LITERS



ATF OILS



HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF ATF DEX-II

Euro Gulf automatic transmissions in passenger cars and light trucks for which former dexron fluids are specified - recommended for automatic transmissions in heavy-duty vehicles, on and off - highway. power steering units (where for mer dexrob or mercon fluids are specified). user benefits. maximises life of transmissions. improved thermal stability, oxidation resistance and sludge control. smooth gear shifting and torque transfer Formulated in France. Made in Turkey.

1 LITERS



EUROGULF ATF TYPE-A

Euro Gulf automatic transmission TYPE-A fluid provide outstanding resistance to oil breakdown and deposits. Improve overall transmission durability and cleanliness.

1 LITERS





GEAR OILS

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF ROBUST SAE-75W90 | API GL-5

Euro Gulf ROBUST Gear Oil 75W-90 is synthetic gear oil designed to provide optimum protection under extreme load conditions, whilst maintaining high efficiency. Euro Gulf Gear Oil 85W-90 is used both on and off track in synchronized and non-synchronized manual gearboxes, and in rear axles. It is specifically designed for transaxles.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF ROBUST SAE-85-140 | API GL-5

Euro Gulf ROBUST Gear Oil SAE-85-140 is used for hypoid gear axels. Motorcycle gear units seperate from engine. Automatic transmission and differentials.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF ROBUST SAE-80W90 | API GL-4/GL-5

Euro Gulf ROBUST Gear Oil 80W-90 is synthetic gear oil designed to provide optimum protection under extreme load conditions, whilst maintaining high efficiency. Euro Gulf Racing Gear Oil 80W-90 is used both on and off track in synchronized and non-synchronized manual gearboxes, and in rear axles. It is specifically designed for transaxles.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF ROBUST SAE-90 | API GL-5

Euro Gulf ROBUST Gear Oil SAE-90 is used for hypoid gear axels. Motorcycle gear units seperate from engine. Automatic transmission and differentials.

1, 4, 5, 20, 25, 60, 208 LITERS





GEAR OILS

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF ROBUST SAE-140 | API GL-5

Euro Gulf Gear Oil SAE 140 is used for hypoid gear axels. Motorcycle gear units seperate from engine. Automatic transmission and differentials.

1, 4, 5, 20, 25, 60, 208 LITERS





HYDRAULIC OILS

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF HYDRAULIC OIL | ISO-10

Eurogulf Hydraulic Oil ISO 10 AW is designed to give maximum protection to hydraulic pumps in high performance industrial applications as well as in environmentally sensitive areas. ISO 10 is formulated with base stocks and an additive system that provides superior oxidation stability, water separability, foam suppression, and protection against wear, rust and corrosion.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF HYDRAULIC OIL | ISO-32

Eurogulf Hydraulic Oil ISO 32 AW is designed to give maximum protection to hydraulic pumps in high performance industrial applications as well as in environmentally sensitive areas. ISO 32 is formulated with base stocks and an additive system that provides superior oxidation stability, water separability, foam suppression, and protection against wear, rust and corrosion.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF HYDRAULIC OIL | ISO-37

Eurogulf Hydraulic Oil ISO 37 AW is designed to give maximum protection to hydraulic pumps in high performance industrial applications as well as in environmentally sensitive areas. ISO 37 is formulated with base stocks and an additive system that provides superior oxidation stability, water separability, foam suppression, and protection against wear, rust and corrosion.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF HYDRAULIC OIL | ISO-46

Eurogulf Hydraulic Oil ISO 46 AW is designed to give maximum protection to hydraulic pumps in high performance industrial applications as well as in environmentally sensitive areas. ISO 46 is formulated with base stocks and an additive system that provides superior oxidation stability, water separability, foam suppression, and protection against wear, rust and corrosion.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF HYDRAULIC OIL | ISO-68

Eurogulf Hydraulic Oil ISO 68 AW is designed to give maximum protection to hydraulic pumps in high performance industrial applications as well as in environmentally sensitive areas. ISO 68 is formulated with base stocks and an additive system that provides superior oxidation stability, water separability, foam suppression, and protection against wear, rust and corrosion.

1, 4, 5, 20, 25, 60, 208 LITERS





BRAKE FLUID

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF BRAKE AND CLUTCH FLUID DOT 3

EURO GULF DOT 3 is a synthetic based and high performance hydraulic brake fluid that meets FMVSS 116 DOT 3 specifications. Performs thrust duty perfectly even at high temperatures. High oxidation resistance provides long service life. Maximum corrosion protection in the brake systems due to its anti-corrosion additives.



250, 500 ML, 1 LITER

EUROGULF BRAKE AND CLUTCH FLUID DOT 3

EURO GULF DEuro Gulf a high Fluid DOT3 is based on polyethylene glycol ether technology to provide a high level of brake and clutch performance in automotive and commercial vehicles. Euro Gulf Brake & clutch Fluid DOT3 is a high-performance hydraulic brake fluid, recommended for use in automotive disc, drum and anti-skid brake system and clutch system.



245, 485 ML

EUROGULF BRAKE FLUID 99-DOT 3

EURO GULF brake fluid 99 DOT 3 is a synthetic based high quality hydraulic brake fluid, that has been developed to be used in hydraulic brake and clutch systems, which has high boiling point and provides optimum performance. Due to its high viscosity index, it performs thrust duty perfectly even at high temperatures. High oxidation resistance provides long service life. Maximum corrosion protection in the brake systems due to its anti-corrosion additives.



250, 500 ML

EUROGULF BRAKE AND CLUTCH FLUID DOT 4

EURO GULF DOT 4 is a synthetic based high quality hydraulic brake fluid, that has been developed to be used in hydraulic brake and clutch systems, which has high boiling point and provides optimum performance. Due to its high viscosity index, it performs thrust duty perfectly even at high temperatures. High oxidation resistance provides long service life. Maximum corrosion protection in the brake systems due to its anti-corrosion additives.



250, 500 ML, 1 LITER



GREASE

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF MULTIS MP3 CALCIUM EP3 GREASE

Euro gulf Multis 2 ep 2 is a true multi purpose grease, formula ted for lubrication of loaded slide-, ball-, and roller-bearings, wheel bearings, univ ersal joints, chassis, and various shock loaded or vibrating applications in transport, agriculture and off road equipment, operating in wet, dusty and/or dry conditions. Suitable as general purpose grease for industrial a pplications requiring a NLGI 2 grade. extreme Pressure grease.

500 G, 1-15 KG



EUROGULF MULTIS 3 LITHIUM GREASE

Euro Gulf Multis 3 ep 3 is a true multi purpose grease, formula ted for lubrication of loaded slide-, ball-, and roller-bearings, wheel bearings, univ ersal joints, chassis, and various shock loaded or vibrating applications in transport, agriculture and off road equipment, operating in wet, dusty and/or dry conditions. Good thermal stability, leading to high resistance to temperature variations.

500 G, 1-15 KG





COOLANTS

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF ADBLUE DIESEL EXHAUST FLUID

Euro Gulf Diesel Engine Oil Eco 10W-40 is semi-synthetic and high performance diesel engine oil engineered to provide outstanding lubrication to modern, high performance diesel engines used in severe on and off-highway applications. These base oils are enhanced with an advanced additive system, which provides a high level of protection to all parts of the engine.

20 LITERS



EUROGULF ANTI-FREEZE COOLANT

Euro Gulf Anti Freeze coolant is used by all vehicles for heat transfer. Antifreeze Coolant should be efficient in transferring the heat as well as preventing scale & corrosion of the radiator and the engine cooling system. Antifreeze Coolant is a ntfreeze during the winter due to low freezing point and an anti boiling during the summer season due to high boiling point.

1, 4, 5, 20, 25, 60, 208 LITERS



EUROGULF ANTI-CORROSION RADIATOR FLUID

Euro Gulf Anti Freeze coolant is used by all vehicles for heat transfer. Antifreeze Coolant should be efficient in transferring the heat as well as preventing scale & corrosion of the radiator and the engine cooling system. Antifreeze Coolant is a ntfreeze during the winter due to low freezing point and an anti boiling during the summer season due to high boiling point.

1, 4, 5, 20, LITERS





MARINE OILS

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF OUTBOARD 2-STROKE MOTOR OIL

Euro Gulf Marine 2-Stroke Marine Oil is a superior quality two-stroke lubricant specifically designed for water-cooled, high-revving engines with premix or injection systems. Premium base stocks are blended with a modern ashless detergent additive package to provide fortification for maximum performance in outboard engines. Minimizes wear, combustion chamber deposits, ring sticking, piston burning, port blocking and spark plug fouling and prolongs engine life

1, 20, LITERS



EUROGULF OUTBOARD 4-STROKE MOTOR OIL

Euro Gulf Marine 4-Stroke Marine Oil is a superior quality two-stroke lubricant specifically designed for water-cooled, high-revving engines with premix or injection systems. Premium base stocks are blended with a modern ashless detergent additive package to provide fortification for maximum performance in outboard engines. Minimizes wear, combustion chamber deposits, ring sticking, piston burning, port blocking and spark plug fouling and prolongs engine life

1, 4, 5, 20, 25, 60, 208 LITERS





TRANSMISSION OIL

EUROGULF T-4 SAE50

Euro Gulf TDTO-4 SAE50 Transmission / Drive Train Oils are specialized, advanced fluids designed for the needs of heavy duty equipment systems in mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids are specified. These fluids provide excellent operating and maintenance benefits across a broad temperature range for increased efficiency, performance, and component protection. Transmission / Drive Train Oils are recommended for use in Caterpillar and other competitive brands of heavy duty off-road equipment in applications where fluids meeting TO-4 requirements are specified. Typical applications include, but are not limited to, powershift and hydrostatic transmissions, torque converters, wet brake mechanisms, differentials, final drives, and hydraulic systems. Other applications include manual transmissions where API GL-3 or Allison C-4 fluids are specified.

20, 208 LITERS



EUROGULF T-4 SAE30

Euro Gulf TDTO-4 SAE30 Transmission / Drive Train Oils are specialized, advanced fluids designed for the needs of heavy duty equipment systems in mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids are specified. These fluids provide excellent operating and maintenance benefits across a broad temperature range for increased efficiency, performance, and component protection. Transmission / Drive Train Oils are recommended for use in Caterpillar and other competitive brands of heavy duty off-road equipment in applications where fluids meeting TO-4 requirements are specified. Typical applications include, but are not limited to, powershift and hydrostatic transmissions, torque converters, wet brake mechanisms, differentials, final drives, and hydraulic systems. Other applications include manual transmissions where API GL-3 or Allison C-4 fluids are specified.

20, 208 LITERS



EUROGULF T-4 10W

Euro Gulf TDTO-4 Transmission 10W / Drive Train Oils are specialized, advanced fluids designed for the needs of heavy duty equipment systems in mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids are specified. These fluids provide excellent operating and maintenance benefits across a broad temperature range for increased efficiency, performance, and component protection. Transmission / Drive Train Oils are recommended for use in Caterpillar and other competitive brands of heavy duty off-road equipment in applications where fluids meeting TO-4 requirements are specified. Typical applications include, but are not limited to, powershift and hydrostatic transmissions, torque converters, wet brake mechanisms, differentials, final drives, and hydraulic systems. Other applications include manual transmissions where API GL-3 or Allison C-4 fluids are specified.

20, 208 LITERS





CAR CARE

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF GRAY RTV SILICON GASKET MAKER

Euro Gulf Grey RTV Silicon Gasket Maker is specially formulated for import engines but may also be used on U.S. engines. Ideal gasket replacement for cam or transmission covers, thermostat housings, intake manifold seals, oil pans and water pumps. Resists most automotive fluids (except gasoline).

85 G



EUROGULF EPOXY STEEL

Euro Gulf Epoxy Steel adhesive combine exceptional strength and durability. Bonds trim and ornaments. Resistant to gasoline, anti-freeze and most solvents.

144 G



EUROGULF FUEL INJECTION CLEANER OCTANE BOOSTER

Euro Gulf Injection cleaner Formulated to stop knocking caused by low octane fuel. Special additives increase octane and clean fuel system. It does not contain alcohol and is safe for converters and oxygen sensors.

355, 300 ML





CAR CARE

HIGH PERFORMANCE ENGINE LUBRICANTS BY EUROGULF

EUROGULF MOTOR FLUSH

Euro Gulf Motor Flush is a special cleaner that removes sediment, soiling, mud and wear products from engine details. It cleans the oil system and oil pump filter nets. It ensures a reliable lubrication of the engine parts during the cleaning process. With the help of the special detergent-dispersant addition, it guarantees a highly effective and safe removal of combustion residues.

450 ML



EUROGULF OIL TREATMENT

Euro Gulf Oil Treatment is a high viscosity oil treatment specially formulated to fight metal-to-metal friction by providing a thicker cushion between moving parts. Excellent for all cars, pick-up trucks and SUVs. Euro Gulf Oil treatment fights friction to help (protect against engine wear - reduce consumption - Protect engine parts)

443 ML



CONTACT US!






VISIT OUR WEBSITE!




Our present lubricants market is very complex, which is why it is important to have the most up-to-date information available for distributors and individuals alike. Our product website offers a perfect view of what's new, product information, as well as the latest industry news and developments.

SOCIAL MEDIA PLATFORMS

Stay ahead of the crowd and join us on our social media platforms to keep up with our passion for the world of lubricants and the latest technology for car care.



 www.eurogulf.net
 info@algaddahllc.com
 [eurogulflubricant](https://www.instagram.com/eurogulflubricant)

 [EuroGulfLubricant0](https://www.facebook.com/EuroGulfLubricant0)
 [EuroGulfLubricant](https://www.pinterest.com/EuroGulfLubricant)
 [SamerALGaddahCo](https://twitter.com/SamerALGaddahCo)



www.eurogulf.net

OWNED AND DISTRIBUTED BY:



شركة سامر القдах العالمية للتجارة العامة ذ.م.م

SAMER AL GADDAH
INTERNATIONAL GENERAL TRADING CO. L.L.C

Shop No.1, Silver Island Building,
38C Street, Naif, Deira, Dubai, United Arab Emirates.

TEL: +971 4 254 5344, +971 4 224 0305

EMAIL: info@algaddahllc.com