



PRODUCTS CATALOGUE

PETROL | DIESEL | GEAR | MARINE | GREASE | CAR CARE | MOTORCYCLE |
HYDRAULICS | BREAK AND CLUTCH FLUID | ATF | ENGINE | COOLANTS

ABOUT US

SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. L.L.C Dubai, United Arab Emirates (The Entity) registered on July, 2011 as Limited Liability Company (LLC) and operates in the United Arab Emirates under a trade License issued by the Department of Economics Development of the Government of Dubai.

The Entity is licensed by Department of Economic Development of the Government of Dubai for general trading mainly dealing in OIL, Lubricants and Car Care Items. The Registered office is located at Shop no.1, Silver Island Building, 38C Street, Naif, Deira, Dubai, United Arab Emirates since July 2011. We have warehouse at Sajja Sharjah. The management and control are vested with **Mr. Samer Hussein Al Gaddah**, Chairman of Board of Directors.

We are proud to have qualified and dedicated staff that provides us latest insights of the market and about latest technological and product development in the market. We follow International Financial Reporting Standards at corporate level and incorporate latest development in reporting standards by IASB. We are audited every Financial Year by the approved Auditors in Dubai

SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. L.L.C is one of the leading trading companies in Dubai engaged in Import-Export, Retail and Wholesale of imported Car Care Lubricants, Industrial Lubricants and Engine Oil. Our friendly teams of sales consultants listen to the needs of our customers and are committed to helping you to find your perfect needs.

Trust the professionals at **SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. L.L.C** to provide you with all of your automotive lubricants, and other oil lubricants. We have registered brands in the market named Euro Gulf, Az Lubricants, Venol, Maxwelle, Mega Rich, V8 German Lubricants, V Motor Oil, Ammasco, Super International and Ophel (Automotive Lubricants). We also deal in famous brands to capture the market share and keeping the customers satisfy. We can proudly assert to have captured a good percentage of the market in United Arab Emirates.

We have dedicated sales team to help customers to provide the best quality products and services and contribute towards the growth of the company.

OUR BUSINESS

- Our main vision is to grow as a major player in global lubricants industry and penetrating new markets through qualified distributors.
- We pride ourselves in providing our customers with premium services together with technologically advanced products which enable us to be successful and more competitive in global lubricants industry.

1 LUBRICANTS / OIL

Samer Al Gaddah has its own brand called EUROGULF And V8 German lubricants and other brands under its name which provides a wide variety of lubricants, including Passenger Car Oil, Diesel Engine Oil, Hydraulic Oil and much more.

2 GREASE

Our greases are premium quality, high temperature service lithium complex products for bearing applications. These greases are highly recommended for the lubrication of electric motors.

3 BRAKE FLUIDS

EUROGULF brake fluids formulated for high performance hydraulic brakes, automotive disc, drums, anti-slip brake systems and clutch systems.

4 AUTOMATIC TRANSMISSION FLUID

Automatic Transmission Fluid is designed to meet the unique needs of automatic transmissions. It lubricates the moving parts within the transmission, cools the transmission by dissipating heat, and provides the hydraulic pressure necessary for the transmission to function.

OUR VISION

- Our main vision is to grow as a major player in global lubricants industry and penetrating new markets through qualified distributors.
- We pride ourselves in providing our customers with premium services together with technologically advanced products which enable us to be successful and more competitive in global lubricants industry.

ISO CERTIFIED COMPANY

SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. LLC implements an unified management system according to ISO 9001 international standards. The man agement system is certified by International Our key strengths in terms of quality, environmental and health & safety management are:

- ◊ Computer based automated production
- ◊ State of the art blending and monitoring equipment
- ◊ In-house laboratory for quality control
- ◊ Qualified and Experienced personnel
- ◊ Delivery flexibility
- ◊ Full compliance with international enviornmental legislation
- ◊ Best working conditions and workplace health and safety

By Applying strict quality acceptance criteria, sometimes stricter than those

required by international legislation, SAMER AL GADDAH INTERNATIONAL GENERAL TRADING CO. LLC can fullfill every customer need with high quality products that withstand evenaughest operationg conditions.

We closely follow up the rapid technological developments, by re-designing and upgrading our products in order to cover any latest quality, performance or enviornmental requirement.



PLATINUM
MOTOR OIL
SYNTHETIC



Locally
produced

MOTOR OIL

MOTOR OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF SYNTECH SAE-0W16 | API-SN



- EURO GULF MOTOR OIL SYNTECH 0W16 API SP is an advanced fully synthetic engine oil engineered to meet the stringent requirements of modern gasoline engines. Formulated with top-tier synthetic base oils and state-of-the-art additives, it delivers exceptional lubrication, engine cleanliness, and protection against wear even under extreme operating conditions.



EUROGULF ULTRA PRO SAE-0W20 | API-SN

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF MOTOR OIL ULTRA PRO 0W20 API SN is a premium fully synthetic engine oil meticulously engineered to meet the demanding requirements of modern gasoline engines. Formulated with top-tier synthetic base oils and advanced additives, it ensures exceptional lubrication, engine cleanliness, and protection against wear even under extreme conditions.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF ENERGY SAE-0W30 | API-SN



- EURO GULF MOTOR OIL ENERGY 0W30 API SN is a premium fully synthetic engine oil meticulously crafted to meet the demands of modern high-performance gasoline engines. Formulated with top-tier synthetic base oils and cutting-edge additives, it delivers exceptional lubrication, engine cleanliness, and protection against wear even under extreme operating conditions.



EUROGULF ENERGY SAE-0W40 | API-SN

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF MOTOR OIL ENERGY SAE 0W40 API SN fully synthetic engine oils are designed for use in passenger cars and light truck applications. API certified formulations meet and exceed the latest auto motive manufacturers' warranty requirements. SAE 0W40 API SN Fully synthetic is a high performance, gasoline engine oil specifically formulated to address the needs of high-power engines.



MOTOR OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF ACTIV SAE-5W20 | API-SN



● EUROGULF MOTOR OIL ACTIV 5W20 API SN is a superior fully synthetic engine oil designed for both gasoline engines, with or without turbochargers, in light passenger and commercial vehicles. This oil is perfectly suited for challenging service conditions and various types of journeys, excelling in high-performance and high-speed driving.



EUROGULF PLATINUM SAE-5W30 | API-SN

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

● EUROGULF MOTOR OIL PLATINUM 5W30 API SN is a fully synthetic engine oil designed for all petrol engines, including multi-valve and turbocharged engines, with or without catalytic converters, in light passenger and commercial vehicles without particulate filters. This oil is suitable for all types of journeys and is particularly effective under the most demanding service conditions.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF PRO LIFE SAE-5W40 | API-SN



● EURO GULF MOTOR OIL PRO LIFE 5W40 API SN is a high-quality fully synthetic engine oil formulated to meet the demanding requirements of modern gasoline engines. Its advanced synthetic base oils and additive package provide exceptional lubrication, engine cleanliness, and protection against wear and deposit formation



EUROGULF TITANIUM SAE-10W30 | API-SN

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

● EURO GULF MOTOR OIL TITANIUM 10W30 API SN is a premium fully synthetic engine oil meticulously crafted to meet the rigorous demands of modern gasoline engines. Formulated with top-quality synthetic base oils and cutting-edge additives, it ensures outstanding lubrication, engine cleanliness, and protection against wear even under extreme conditions.



MOTOR OIL

MOTOR OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF ULTRA LIFE SAE-10W40 | API-SN



- EURO GULF MOTOR OIL ULTRA LIFE 10W40 API SN is a premium fully synthetic engine oil meticulously formulated to meet the demanding requirements of modern gasoline engines. With superior synthetic base oils and advanced additives, it ensures exceptional lubrication, engine cleanliness, and protection against wear even under extreme conditions.

EUROGULF ULTRA LIFE SAE-10W40 | API-SN/CF

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS



- EURO GULF MOTOR OIL ULTRA LIFE 10W40 API SN/CF is a premium fully synthetic engine oil meticulously formulated to meet the demanding requirements of modern gasoline engines. With superior synthetic base oils and advanced additives, it ensures exceptional lubrication, engine cleanliness, and protection against wear even under extreme conditions.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF PRO-LUBE SAE-15W30 | API-SN



- EURO GULF MOTOR OIL PRO-LUBE 15W30 API SN is a premium fully synthetic engine oil meticulously crafted to meet the rigorous demands of modern gasoline engines. Formulated with top-quality synthetic base oils and cutting-edge additives, it ensures outstanding lubrication, engine cleanliness, and protection against wear even under extreme conditions.

EUROGULF PRO-TECH SAE-15W40 | API-SN

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS



- EURO GULF MOTOR OIL PRO-TECH 15W40 API SN is a high-quality mineral-based engine oil designed to meet the needs of older gasoline engines. Its formulation includes premium base oils and additives to provide reliable lubrication, engine protection, and performance under various operating conditions.



MOTOR OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF PRO-TECH SAE-15W40 | API-SL



- EURO GULF MOTOR OIL PRO-TECH 15W40 API SL is a high-quality mineral-based engine oil designed to meet the needs of older gasoline engines. Its formulation includes premium base oils and additives to provide reliable lubrication, engine protection, and performance under various operating conditions.



EUROGULF PRO-TECH SAE-15W40 | API-SL/CF

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF MOTOR OIL PRO-TECH 15W40 API SL-CF is a high-quality mineral-based engine oil meticulously engineered to cater to the needs of both gasoline and diesel engines. Blended with superior base oils and fortified with advanced additives, it ensures optimal lubrication, engine cleanliness, and protection against wear and deposit formation.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF SUPERIOR SAE-20W50 | API-SN



- EURO GULF MOTOR OIL SUPERIOR 20W50 API SN is a high-quality mineral-based engine oil designed to meet the requirements of modern gasoline engines. Formulated with premium base oils and advanced additives, it provides reliable lubrication, engine protection, and performance under various operating conditions.



EUROGULF SUPERIOR SAE-20W50 | API-SL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF MOTOR OIL SUPERIOR 20W50 API SL is a high-quality mineral-based engine oil designed to meet the needs of older gasoline engines. Formulated with premium base oils and additives, it provides reliable lubrication, engine protection, and performance under various operating conditions.



MOTOR OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF AVANTE SAE-20W60 | API-SL



- EURO GULF MOTOR OIL AVANTE 20W60 API SL is a high-performance multigrade engine oil specifically formulated for modern gasoline engines. Combining high-quality base oils with advanced additive technology, this oil ensures superior lubrication, protection, and engine cleanliness.



EUROGULF VITAL SAE-25W60 | API-SL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF MOTOR OIL VITAL 25W60 API SL is specifically designed for use in gasoline engines found in passenger cars, light trucks, vans, and SUVs. It is suitable for engines operating under severe conditions or high temperatures where a 25W60 viscosity grade oil is recommended. This oil offers exceptional performance and protection for high-stress engines.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF PREMIUM 5000 HD 40 | API-SL



- EURO GULF MOTOR OIL PREMIUM 5000 HD 40 API SL is a high-quality monograde engine oil designed for older gasoline engines. Formulated with premium base oils and advanced additives, this oil provides robust protection and reliable performance.



EUROGULF PREMIUM 6000 HD 50 | API-SL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF MOTOR OIL PREMIUM 6000 HD 50 API SL is a high-performance monograde engine oil formulated for older gasoline engines. With premium base oils and advanced additives, this oil ensures reliable lubrication and robust engine protection.



MOTOR OIL

MOTOR OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF
SUPER 6000 SAE 50 | API-SN



- EURO GULF MOTOR OIL SUPER 6000 SAE 50 API SN is a premium monograde engine oil designed for high-performance gasoline engines. Formulated with high-quality base oils and advanced additives, this oil provides exceptional lubrication, ensuring reliable engine performance and protection.



MOTOR OIL



SUPER 10000
DIESEL OIL
MINERAL

SAE 60
API CF

20Le



Euro Gulf Lubricants
European quality product



DIESEL OIL



DIESEL OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF ECO 10000 SAE-10W40 | API-CH-4



- EURO GULF Diesel Oil ECO 10000 10W40 API CH-4 is a high-performance mineral engine oil formulated to provide excellent protection and performance for many diesel and gasoline vehicles. It is suitable for modern passenger cars, light trucks, and commercial vehicles and meets the stringent requirements of API CH-4 specifications. This oil ensures optimal engine cleanliness, reduced wear, and extended oil life.



EUROGULF TURBO 8000 SAE-15W40 | API-CI-4

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Diesel Oil TURBO 8000 15W40 API CI-4 is a high-performance mineral diesel engine oil formulated to provide superior protection and performance. It meets API CI-4 specifications, ensuring reliable lubrication and engine cleanliness.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF TURBO 8000 SAE-20W40 | API-CH-4



- EURO GULF Diesel Oil TURBO 8000 20W40 API CH-4 is a robust mineral diesel engine oil formulated to provide excellent protection for diesel engines. It meets API CH-4 specifications, ensuring reliable performance and durability.



EUROGULF IMPERIAL SAE-20W50 | API-CH-4

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Diesel Oil IMPERIAL 20W50 API CH-4 is a high-performance mineral diesel engine oil designed to provide excellent protection and performance for a variety of diesel engines. It meets API CH-4 specifications, ensuring optimal lubrication and engine cleanliness.

DIESEL OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF IMPERIAL SAE-25W50 | API-CI-4



- EURO GULF Diesel Oil IMPERIAL 25W50 API CI-4 is a high-viscosity mineral diesel engine oil designed for heavy-duty applications. It meets API CI-4 specifications, ensuring superior wear protection and engine cleanliness under extreme conditions.



EUROGULF OPTIMA SAE-25W60 | API-CI-4

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Diesel Oil OPTIMA 25W60 API CI-4 is a mineral oil-based diesel engine oil designed for heavy-duty applications. It meets API CI-4 specifications, providing superior wear protection and engine cleanliness.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF SUPER SAE-40 | API-CF



- EURO GULF Diesel Oil SUPER SAE 40 API CF is a versatile mineral diesel engine oil that ensures reliable performance and protection for diesel engines. It meets API CF specifications, providing excellent wear protection and engine cleanliness.



EUROGULF SUPER 8000 SAE 50 | API-CF

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Diesel Oil SUPER 8000 SAE 50 API CF is a versatile monograde mineral diesel engine oil that ensures reliable performance and protection for diesel engines. It meets API CF specifications, providing excellent wear protection and engine cleanliness.

DIESEL OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF SUPER 10000 SAE-60 | API-CF



- EURO GULF Diesel Oil SUPER 10000 SAE 60 API CF is a monograde mineral diesel engine oil designed for maximum protection in heavy-duty diesel engines. It meets API CF specifications, ensuring excellent performance and longevity.



EUROGULF SUPEREME HD-50 | API-CF

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Diesel Oil SUPEREME HD 50 API CF is a heavy-duty monograde mineral diesel engine oil formulated to provide excellent protection and performance. It meets API CF specifications, ensuring optimal engine cleanliness and reduced wear.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF TURBO BLAZE HD-70 | API-CF-4



- EURO GULF Diesel Oil TURBO BLAZE HD 70 API CF-4 is a robust monograde mineral diesel engine oil formulated to provide excellent protection in high-stress diesel engines. It meets API CF-4 specifications, ensuring superior performance and longevity.





GEAR OIL

GEAR OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF ROBUST SAE-90 | API-GL-5



- EURO GULF Gear Oil ROBUST SAE 90 API GL-5 is a high-quality gear lubricant offering excellent wear protection and thermal stability. It is formulated to meet the demanding requirements of automotive and industrial gear systems, ensuring smooth and efficient operation.



EUROGULF ROBUST SAE-140 | API-GL-5

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Gear Oil ROBUST SAE 140 API GL-5 provides superior wear protection and corrosion resistance for heavily loaded gears. It is specifically formulated to withstand extreme pressure conditions, making it ideal for use in severe operating environments.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF ULTRA GEAR SAE-75W90 | API-GL-5



- EURO GULF Gear Oil ULTRA GEAR SAE 75W90 API GL-5 offers excellent wear protection and thermal stability for both manual transmissions and differential gears. Its versatile formulation ensures reliable performance in a wide range of automotive and industrial



EUROGULF STURDY SAE-80W90 | API-GL-5

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Gear Oil STURDY SAE 80W90 API GL-5 provides superior wear protection and thermal stability for automotive and industrial gear systems. It is engineered to deliver consistent performance under heavy loads and extreme conditions, ensuring prolonged gear life.

GEAR OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF POWER SHIFT SAE-85W90 | API-GL-5




- EURO GULF Gear Oil POWER SHIFT SAE 85W90 API GL-5 is a premium-quality gear oil formulated to provide outstanding performance in a wide range of automotive and industrial gear applications. With superior protection against wear, rust, and corrosion, this oil ensures extended gear life and smooth operation. It is designed to handle extreme pressures and shock-loading conditions, making it suitable for use in heavy-duty applications.



EUROGULF POWER SHIFT SAE-85W140 | API-GL-5

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Gear Oil POWER SHIFT SAE 85W140 API GL-5 offers excellent wear protection and thermal stability for heavily loaded gear systems. It is specially formulated to withstand extreme operating conditions, making it suitable for use in high-performance applications.





HYDRAULIC FLUID

HYDRAULIC FLUID

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF AntiWear Hydraulic Fluid | SOFT-PRO | ISO-10



- EURO GULF Hydraulic Oil SOFT-PRO ISO 10 is meticulously engineered to provide superior lubrication, corrosion protection, and thermal stability for hydraulic systems. Formulated with premium base oils and advanced additives, it ensures smooth operation and prolonged equipment lifespan, even in challenging environments.



EUROGULF AntiWear Hydraulic Fluid | SOFT-PRO | ISO-32

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Hydraulic Oil SOFT-PRO ISO 32 is meticulously crafted to deliver unparalleled performance in hydraulic systems. Its carefully balanced formulation guarantees optimum viscosity stability, wear protection, and thermal resistance, ensuring reliable operation under diverse conditions. This hydraulic fluid is designed to meet the demands of heavy-duty applications while enhancing system efficiency and longevity.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF AntiWear Hydraulic Fluid | SOFT-PRO | ISO-37



- EURO GULF Hydraulic Oil SOFT-PRO ISO 37 is a high-performance hydraulic fluid designed to provide superior performance in various hydraulic systems. Formulated with high-quality base oils and advanced additives, this oil offers excellent oxidation stability, anti-wear properties, and corrosion protection. It ensures optimal hydraulic system performance even under severe operating conditions, enhancing equipment reliability and longevity.



EUROGULF AntiWear Hydraulic Fluid | SOFT-PRO | ISO-46

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Hydraulic Oil SOFT-PRO ISO 46 is a premium-grade fluid meticulously crafted to exceed the requirements of hydraulic systems. With its superior anti-wear properties, oxidation resistance, and thermal stability, it ensures consistent performance in demanding environments. This hydraulic oil provides reliable lubrication and protection, contributing to enhanced productivity and reduced

HYDRAULIC FLUID

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF
AntiWear Hydraulic Fluid | SOFT-PRO | ISO-68



- EURO GULF Hydraulic Oil SOFT-PRO ISO 68 is engineered to meet the rigorous demands of high-pressure hydraulic systems. Its robust formulation offers exceptional viscosity stability, wear protection, and thermal resilience, ensuring smooth operation and extended equipment life. This hydraulic fluid is designed to optimize performance in heavy-duty applications, providing reliable lubrication and protection.



HYDRAULIC FLUID



MOTORCYCLE OIL

MOTORCYCLE OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF
2T | ISO L - EGB | API-TC / JASO FB



- EURO GULF 2T API TC / JASO FB ISO L-EGB is a premium-quality two-stroke engine oil designed to provide excellent lubrication and protection. Blended with high-quality base oils and advanced additives, this oil ensures minimal smoke, reduced deposits, and extended engine life. It meets the rigorous requirements of API TC, JASO FB, and ISO L-EGB standards.



EUROGULF
2T | OUTBOARD | TC-W3

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF 2T TCW3 is a high-quality two-stroke engine oil specially formulated for water-cooled engines. This oil provides superior protection against rust, corrosion, and wear, ensuring longer engine life and reliable performance. It meets the stringent requirements of the TC-W3 specification, making it ideal for marine and recreational engines.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF
4T | 5W60 | API SN / JASO MA2



- EURO GULF 4T 5W60 API SN / JASO MA2 is a premium full synthetic four-stroke engine oil designed for high-performance motorcycles. It provides exceptional engine protection, enhances power output, and ensures smooth gear shifts. Formulated with advanced additives, it meets the requirements of API SN and JASO MA2 standards.



EUROGULF
4T | 10W30 | API SL / JASO MA2

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF 4T 10W30 API SL / JASO MA2 is a high-quality four-stroke engine oil designed to deliver superior protection and performance. With its advanced formulation, this oil ensures reduced engine wear, improved fuel efficiency, and reliable performance under varying conditions. It meets API SL and JASO MA2 specifications.

MOTORCYCLE OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF
4T | 10W40 | API SN/JASO MA2



- EURO GULF Motorcycle Oil 4T 10W40 API SN / JASO MA2 is a premium four-stroke engine oil designed to provide exceptional performance and protection for modern motorcycles. Formulated with high-quality base oils and advanced additives, this oil offers superior thermal stability, excellent wear protection, and enhanced engine cleanliness. It ensures smooth engine operation and optimal power output, even under the most demanding riding conditions.



EUROGULF
4T | 10W60 | API SN/JASO MA2

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- GULF 4T 10W60 API SN / JASO MA2 is a fully synthetic four-stroke engine oil formulated to provide superior engine protection and performance. With its advanced additive technology, it ensures excellent wear protection, thermal stability, and smooth operation. This oil meets the stringent API SN and JASO MA2 standards.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF
4T | 15W50 | API SN/JASO MA2



- EURO GULF 4T 15W50 API SN / JASO MA2 is a premium four-stroke engine oil designed to deliver exceptional performance and protection. This oil provides superior wear protection, high thermal stability, and ensures smooth engine operation. It meets API SN and JASO MA2 specifications, making it suitable for a wide range of motorcycles.



EUROGULF
4T | 20W50 | API SN/JASO MA2

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF Motorcycle Oil 4T 20W50 API SN / JASO MA2 is a superior-quality four-stroke engine oil formulated to meet the demands of high-performance motorcycles. With excellent thermal stability and wear protection, it ensures smooth engine operation, reduced friction, and enhanced engine cleanliness, even under extreme riding conditions.



MOTORCYCLE OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF 4T | 20W50 | API SL/JASO MA2



- EURO GULF 4T 20W50 API SL / JASO MA2 is a high-performance four-stroke engine oil formulated to provide superior lubrication and protection. This oil offers excellent thermal stability, wear protection, and enhances engine cleanliness. It meets API SL and JASO MA2 specifications, ensuring reliable performance in a variety of conditions.



EUROGULF 4T | 25W60 | API SN/JASO MA2

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF 4T 25W60 API SN / JASO MA2 is a fully synthetic four-stroke engine oil designed for extreme performance and protection. This oil provides superior wear protection, thermal stability, and smooth engine operation. Formulated with advanced additives, it meets API SN and JASO MA2 standards, making it ideal for high-performance motorcycles.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF 4T | SAE 50 | API SN/JASO MA2



- EURO GULF 4T SAE 50 API SN / JASO MA2 is a premium mineral four-stroke engine oil formulated to provide superior engine protection and performance. This oil offers excellent wear protection, high thermal stability, and ensures smooth engine operation. It meets API SN and JASO MA2 specifications, making it suitable for a wide range of motorcycles.



EUROGULF 4T | SAE 50 | API SL/JASO MA2

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF 4T SAE 50 API SL / JASO MA2 is a high-quality mineral four-stroke engine oil designed for reliable performance and protection. This oil offers excellent wear protection, high thermal stability, and ensures smooth engine operation. It meets API SL and JASO MA2 specifications, making it suitable for older and classic motorcycles.





EURO
GULF

4T

MOTOR OIL
25W40
API SM FC-W

4L e

MARINE OIL

MARINE OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF 2T | OUTBOARD | TC - W3



- EURO GULF 2T outboard oil is a premium performance two stroke marine engine oil formulated with a special ash less additive system. It is pre diluted with high flash point solvent to facilitate mixing with petrol at all temperatures. It is designed for engines requiring NMMA TC-W3 performance lubricants, operating in all service conditions.



EUROGULF 4T | 10W30 | API SM FC-W

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- High performance low-friction motor oil based on premium technology. Provides increased corrosion and wear protection as well as quick oil penetration of the engine and turbocharger with additives specially adapted to maritime use. Exceeds leading engine manufacturers' requirements. Suitable for all gasoline-driven inboard and outboard engines.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF 4T | 25W40 | API SM FC-W



- This is a premium quality 4-stroke motor oil, specifically designed to meet the requirements of the NMMA FC-W specification. This oil procures an increased protection against corrosion, even in a salt water environment. It also contains a unique anti-wear package. This oil is specifically destined for the lubrication of modern 4-stroke marine outboard and inboard engines.





AUTOMATIC TRANSMISSION FLUID

ATF

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF CONTINUOUS VARIABLE TRANSMISSION FLUID | CVTF

- EURO GULF CVTF is a high-quality fluid designed for modern continuously variable transmissions (CVTs). It provides excellent protection, smooth operation, and improved fuel efficiency. Formulated with advanced synthetic oils and additives, it ensures optimal performance and extended transmission life under various conditions. Suitable for a wide range of CVT-equipped vehicles, always refer to your vehicle's manual for compatibility.



EUROGULF AUTOMATIC TRANSMISSION FLUID | DEX II

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF ATF DEX II is a premium automatic transmission fluid designed to meet the specifications of General Motors and other manufacturers requiring DEXRON II compatibility. It offers excellent frictional properties, oxidation resistance, and thermal stability, ensuring smooth and efficient transmission operation.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF AUTOMATIC TRANSMISSION FLUID | DEX III

- EURO GULF ATF DEX III is a high-quality automatic transmission fluid engineered to meet the stringent requirements of General Motors DEXRON III specifications. It provides superior protection against wear, oxidation, and thermal breakdown, ensuring long-term transmission durability and smooth shifting performance.



EUROGULF AUTOMATIC TRANSMISSION FLUID | DEX III D

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF ATF DEX III D is a premium automatic transmission fluid formulated to provide outstanding performance in a wide range of automatic transmissions. It ensures excellent friction control, wear protection, and thermal stability, promoting smooth shifting and reliable operation. This fluid is suitable for transmissions requiring DEXRON III D specification.

ATF

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF AUTOMATIC TRANSMISSION FLUID | DEX IV



- EURO GULF DEX IV Designed for passenger cars and recommended for heavy-duty vehicles, both on and off-highway, Euro Gulf automatic transmission fluid ensures superior year-round protection and high performance. It maximizes the life of transmissions through improved thermal stability, oxidation resistance, and sludge control.



EUROGULF AUTOMATIC TRANSMISSION FLUID | DEX VI

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

- EURO GULF ATF DEX VI is an advanced automatic transmission fluid designed to meet the stringent performance requirements of modern automatic transmissions requiring DEX VI specification. It provides exceptional friction control, wear protection, and thermal stability, ensuring smooth shifting and reliable operation under various driving conditions.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF AUTOMATIC TRANSMISSION FLUID | TYPE A



- EURO GULF ATF TYPE A is a high-quality automatic transmission fluid specially formulated to meet the specifications of older vehicles requiring Type A ATF. It provides excellent lubrication and hydraulic properties, ensuring smooth shifting and optimal transmission performance.





RADIATOR COOLANT

RADIATOR COOLANT

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF Radiator Coolant | RED



- Euro Gulf Radiator coolant Makes your vehicle's engine run at an ideal temperature. It is formulated with high-performance additives to maximize cooling efficiency. This engine coolant is perfectly suited for small and large vehicles.

EUROGULF Radiator Coolant | GREEN

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS



- Euro Gulf Radiator coolant Makes your vehicle's engine run at an ideal temperature. It is formulated with high-performance additives to maximize cooling efficiency. This engine coolant is perfectly suited for small and large vehicles.

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF Radiator Coolant | BLUE



- Euro Gulf Radiator coolant Makes your vehicle's engine run at an ideal temperature. It is formulated with high-performance additives to maximize cooling efficiency. This engine coolant is perfectly suited for small and large vehicles.





TREAT YOUR EQUIPMENT LIKE A KING™

**MULTIS MP3
CALCIUM EP3**

MULTI-PURPOSE

15 kg MADE IN UAE

GREASE

GREASE

0.5, 1, 1.5, 15, KG

EUROGULF Calcium Grease | MP3 | DROP POINT 90°C



- EURO GULF Calcium Grease MP3 is a high-quality, multipurpose grease formulated from premium mineral oil and thickened with calcium hydroxide. This grease features a smooth, buttery texture and provides excellent water resistance, mechanical stability, and superior lubricating performance. With a dropping point of around 90°C, it is ideal for various applications, ensuring reliable operation even under challenging conditions. It provides exceptional adhesive properties for long-lasting performance and minimises leakage and loss in the wash due to strong resistance to wear.

EUROGULF Calcium Grease | MP3 | DROP POINT 130°C

0.5, 1, 1.5, 15, KG



- EURO GULF Calcium Grease MP3 is a high-performance multipurpose grease, formulated from premium mineral oil thickened with calcium soap. It provides a versatile solution for various industrial and automotive applications. Manufactured to NLGI 3 consistency, EURO GULF Calcium Grease MP3 offers excellent water resistance, mechanical stability, and long-lasting protection against wear and corrosion. With a dropping point of 130°C, this grease is ideal for use in high-temperature environments. This grease provides excellent mechanical stability to withstand high loads and temperatures without breaking down. Long-lasting protection against wear and corrosion, extending the life of moving parts.

0.5, 1, 1.5, 15, KG

- EURO GULF Lithium Grease is a premium, multi-purpose lithium soap-based grease formulated to meet the demanding requirements of both automotive and industrial applications. Engineered with advanced extreme pressure (EP) and anti-wear (AW) additive technology, this grease offers exceptional protection against wear, rust, and corrosion, while providing excellent resistance to water washout. With a high dropping point of 190°C, EURO GULF Lithium Grease ensures superior performance even under extreme temperature conditions.





CHAINSAW OIL

CHAINSAW OIL

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF
2T | MOTOR OIL | API TC / JASO FB



- Euro Gulf 2-Cycle engine oil is designed for use in all types of 2-stroke engines of gardening equipment: lawn-mowers, grass-trimmers, power cultivators, chain and circular saws, special forestry and construction equipment, etc. The fuel-oil mixture ratio recommended by engine manufacturers must be observed. Comply with the manufacturer's instructions provided in the user's manual of the engine! It is dyed green for the visual control of the oil in the mixture.





BRAKE FLUID

BRAKE FLUID

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS

EUROGULF BRAKE FLUID | DOT 3



- EURO GULF DOT 3 brake fluid based on polyglycol and is designed for use in hydraulic brake system of commercial vehicles, passenger cars and motorcycles operating under moderate service conditions and requiring a DOT 3 type of fluid. It provides lubrication and system protection. It also is compatible with all seals and metals used in conventional braking systems.

EUROGULF BRAKE FLUID | DOT 4

1, 4, 5, 6, 7, 20, 25, 60, 208 LITERS



- EURO GULF DOT 4 is an exceptional fluid for hydraulic brake and clutch systems. The high boiling point and the anti-vapor lock features lead to increased safety. It protects against corrosion and wear, has an extreme lubricity and reduces friction. It offers fast braking reactions in ABS and ESP and is miscible with other non-petroleum brake fluids. It also is compatible with all seals and metals used in conventional braking systems.



BRAKE FLUID

CONTACT US!

VISIT OUR WEBSITE!

Our present lubricants market is very complex which why it is important to have the most up-to-date information available for distributors and individuals alike. Our product websites offers a perfect view of whats new and new products information as well as latest industry news and developments.

SOCIAL MEDIA PLATFORMS

Stay ahead of the crowd and join us on our social media platforms to keep up with passion for the world of lubricants and latest technology for car care.

-  [facebook.com/EuroGulfLubricant0](https://www.facebook.com/EuroGulfLubricant0)
-  www.pinterest.com/eurogulf_oil
-  <https://twitter.com/SamerAlGaddahCo>
-  www.eurogulf.net
-  info@algaddahllc.com
-  [instagram.com/eurogulflubricant](https://www.instagram.com/eurogulflubricant)





***MAKE IT
GOOD
MAKE IT
BETTER***

